



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/041,146	01/04/2002	Charles W. Berthoud	C.BERTHOUD 22	2400

47396 7590 11/21/2006

HITT GAINES, PC  
AGERE SYSTEMS INC.  
PO BOX 832570  
RICHARDSON, TX 75083

EXAMINER
----------

CHEN, TSE W

ART UNIT	PAPER NUMBER
----------	--------------

2116

DATE MAILED: 11/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/041,146

Applicant(s)

BERTHOUD, CHARLES W.

Examiner

Tse Chen

Art Unit

2116

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 31 October 2006.  
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-21 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 1-21 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

Art Unit: 2116

## DETAILED ACTION

### *Claim Rejections - 35 USC § 112*

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claims 1-21 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential element(s), such omission amounting to a gap between the elements. See MPEP § 2172.01. The omitted element(s) are: Applicant did not specifically identify the particular version of USB compatible with the claimed performance indication system. Examiner submits that different USB versions inherently have different characteristics [e.g., system requirements, performance] that would affect the scope of the claims. Prior art is still applied in the following rejections.

### *Claim Rejections - 35 USC § 102*

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

4. Claims 1, 3-4, 8-11 are rejected under 35 U.S.C. 102(a) as being anticipated by “CATC USB Chief Bus and Protocol Analyzer User’s Manual”, hereinafter Chief.
5. In re claim 1, Chief discloses a performance [e.g., speed] indication system for use with a USB signal capable of having multiple data transfer rates [full or low speed] [pp.4-5; pg.13; pg.17], comprising:

- A rate discrimination subsystem [analyzer with cables] configured to provide a determination of a data transfer rate [timing measurements] of said USB signal corresponding to one of said multiple data transfer rates [pp.4-5; pg. 13], said USB signal traversing through a USB cable coupling a first [analyzer] and second device [host] [pg. 17].
- A condition indication subsystem [pc] coupled to said rate discrimination subsystem and configured to indicate said data transfer rate to a user [pg.4-5], wherein at least a portion of said performance indication system is contained in a USB terminator [internal termination] configured to terminate said USB cable at said first device [pg. 17, 85; performance indication system as shown in the figure uses the signals at the terminated analyzer to indicate the transfer rate].

6. As to claim 3, Chief discloses, wherein at least a portion of said performance indication system is contained in a peripheral device [pg.3, 17; interface to short cable in peripheral required in order to operate].

7. As to claim 4, Chief discloses, wherein said condition indication subsystem employs a visual display [pc screen] to indicate said data transfer rate to said user [pp.4-5; pg. 17].

8. In re claim 8, Chief discloses Chief taught each and every limitation of the claim as discussed above in reference to claim 1. Chief taught the performance indication system; therefore, Chief taught the method of operating the performance indication system. Chief discloses a method of operating a performance [e.g., speed] indication system for use with a USB signal capable of having multiple data transfer rates [full or low speed] [pp.4-5; pg.13; pg. 17], comprising:

Art Unit: 2116

- Determining a data transfer rate of said USB signal corresponding to one of said multiple data transfer rates as said USB signal traverses through a USB cable coupling a first [analyzer] and a second device [host] [pg.17].
- Indicating said data transfer rate to a user via a USB terminator [internal termination] configured to terminate said USB cable at said first device [pg.17, 85; performance indication system as shown in the figure uses the signals at the terminated analyzer to indicate the transfer rate].

9. As to claim 9, Chief discloses, wherein said USB terminator is part of a USB cable assembly [pg.20; cable with terminated analyzer is provided as part of cable assembly].

10. As to claim 10, Chief discloses, wherein said determining is performed in circuitry contained in said USB terminator [analyzer with high impedance tap] [pg.17; speed and other performance characteristics are determined from information sent from analyzer and indicated at the peripheral pc].

11. As to claim 11, Chief discloses, wherein at least a portion of said indicating said data transfer rate employs a visual display [pc screen] [pg.17].

### ***Claim Rejections - 35 USC § 103***

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 1 above.

Art Unit: 2116

14. Chief discloses each and every limitation of the claim as discussed above. Chief did not disclose the rate discrimination subsystem and the condition indication subsystem are both contained in the USB terminator. Examiner had taken Official Notice that it is well known in the art to integrate digital components [i.e., combine the functionalities of the analyzer with the PC or vice versa into a modular device; the subsystems are essentially software components that can be performed by a general processor].

15. It would have been obvious to one of ordinary skill in the art, having the teachings of Chief before him at the time the invention was made, to modify the performance indication system taught by Chief to integrate the rate discrimination subsystem and the condition indication subsystem into a module, in order to obtain the performance indication system wherein the rate discrimination subsystem and the condition indication subsystem are both contained in the USB terminator. One of ordinary skill in the art would have been motivated to make such a combination as it provides a way to reduce part counts and simplify the system [e.g., less connections or setup].

16. Claims 5, 12 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 1 above, and further in view of Davis et al., US Patent 5365577, hereinafter Davis.

17. Chief discloses each and every limitation of the claim as discussed above in reference to claim 1. Chief did not disclose explicitly that the condition indication subsystem employs an audio device.

18. Davis discloses a system wherein said condition indication subsystem [modem controller 346] employs an audible device [tone generator] to indicate a data transfer rate [bps] to a user

Art Unit: 2116

[1412.5 and 2312.5 Hz distinguishing the different data rates are well within the human audible range of about 20-20000 Hz] [col.22, ll.1-28].

19. It would have been obvious to one of ordinary skill in the art, having the teachings of Chief and Davis before him at the time the invention was made, to modify the performance indication system taught by Chief to include the audible device of Davis, in order to obtain the performance indication system wherein at least a portion of said condition indication subsystem employs an audio device. One of ordinary skill in the art would have been motivated to make such a combination as it provides a way to output the operating status [Davis: col. 22, ll.1-28].

20. Claims 6, 13 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 1 above, and further in view of Kitagawa, US Publication 20030026183.

21. Chief disclose each and every limitation of the claim as discussed above in reference to claim 1. Chief did not disclose explicitly that the determination of the data transfer rate is based on an outcome of a chirping process.

22. Kitagawa discloses a performance indication system wherein the determination of a data transfer rate [speed] is based on an outcome of a chirping process [0032-0033].

23. It would have been obvious to one of ordinary skill in the art, having the teachings of Chief and Kitagawa before him at the time the invention was made, to modify the performance indication system taught by Chief to include the teachings of Kitagawa, in order to obtain the performance indication system wherein said determination of said data transfer rate is based on an outcome of a chirping process. One of ordinary skill in the art would have been motivated to make such a combination as it provides a way to determine a data transfer rate for correct operation [Kitagawa: 0006-0007].

Art Unit: 2116

24. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 1 above, and further in view of Kolbet et al., US Patent 6308215, hereinafter Kolbet.

25. Chief discloses each and every limitation of the claim as discussed above in reference to claim 1. Chief did not disclose explicitly that the rate discrimination subsystem employs a control signal associated with a USB signal for said determination of said data transfer rate [pg.13; D+, D- signal were not specifically described in detail].

26. Kolbet discloses a rate discrimination subsystem [part of logic block b1] employs a control signal [D+, D-] associated with a USB signal for said determination of said data transfer rate [col.4, ll.22-55].

27. It would have been obvious to one of ordinary skill in the art, having the teachings of Chief and Kolbet before him at the time the invention was made, to modify the performance indication system taught by Chief to include the teachings of Kolbet, in order to obtain the performance indication system wherein the rate discrimination subsystem employs a control signal associated with a USB signal for said determination of said data transfer rate. One of ordinary skill in the art would have been motivated to make such a combination as it provides a way to determine a data transfer rate for correct operation [Kolbet: col.4, ll.22-55].

28. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 8 above, and further in view of Kolbet as applied to claim 7 above, and further in view of Donahue, US Patent 4837488.

29. Chief and Kolbet disclose each and every limitation of the claim as discussed above in reference to claims 7 and 8 [Chief discloses indicating the data transfer rate to a user while Kolbet specifically identifies the signals D+ and D- used for indicating the data transfer rate].



Art Unit: 2116

Chief and Kolbet did not disclose the determining and the indicating are performed in circuitry contained in the USB cable assembly.

30. Donahue discloses a method wherein a terminator [14] includes first and second light emitting diodes [e.g., red, green], the indicating employing the first light emitting diode to indicate an operation and the second emitting diode to indicate another operation [fig.3; col.6, ll.13-31, ll.45-61; signals such as D+ and D- can be connected to simple LEDs to indicate different speed operations].

31. It would have been obvious to one of ordinary skill in the art, having the teachings of Donahue, Chief and Kolbet before him at the time the invention was made, to modify the performance indication system taught by Chief and Kolbet to include the teachings of Donahue, in order to obtain the performance indication system wherein the USB terminator includes first and second light emitting diodes, the indicating employing the first light emitting diode to indicate the full speed operation and the second emitting diode to indicate the high speed operation [signals such as D+ and D- can be connected to simple LEDs to indicate speed operation]. One of ordinary skill in the art would have been motivated to make such a combination as it provides a simple way to utilize LED circuits for those with moderate skill in the art for the diagnostic of cable characteristics [e.g., speed performance by monitoring signals such as D+ and D-] [Donahue: col.2, ll.3-15; col.6, ll.13-31].

32. Claims 15-16, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 2 above.

33. In re claim 15, Chief discloses a computer system [pg.17], comprising a central processing unit [analyzer processes/generates signals] coupled to at least one peripheral device

Art Unit: 2116

[host] by a USB cable assembly including a USB cable, a first USB terminator [analyzer with internal termination] and a second USB terminator [bus termination], said USB cable terminated at said central processing unit by said first USB terminator and terminated at said peripheral device by said second USB terminator [pg.85], said USB cable configured to carry a USB signal capable of having multiple data transfer rates [full or low speed] [pg. 17]; and a performance indication system, wherein said performance indication system is contained within a device [e.g., central processing unit like the analyzer or cable assembly encompassing the various components], as discussed above in reference to claim 2.

34. As to claim 16, Chief discloses, wherein at least a portion of said performance indication system is contained in said first or second USB terminator [speed and other performance characteristics are determined from information sent from analyzer and indicated at the peripheral pc].

35. As to claim 18, Chief discloses, wherein said condition indication subsystem indicates said data transfer rate to said user via a message [e.g., pop ups] presented on a monitor of said computer system [pc screen] [pp.4-5; pg.17].

36. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 15 above, and further in view of Kelly et al., US Patent 6705527, hereinafter Kelly.

37. Chief discloses each and every limitation of the claim as discussed above in reference to claim 15. Chief did not discuss the details of determining the data transfer rate.

38. Kelly discloses a computer system wherein a central processing unit includes a physical interface having a control pin [e.g., cs1] and a rate discrimination subsystem [210] determines the data transfer rate based on an assertion or a de-assertion of said control pin [col.12, ll.35-47]

Art Unit: 2116

39. It would have been obvious to one of ordinary skill in the art, having the teachings of Chief and Kelly before him at the time the invention was made, to modify the performance indication system taught by Chief to include the teachings of Kelly, in order to obtain the performance indication system wherein a central processing unit includes a physical interface having a control pin and a rate discrimination subsystem determines the data transfer rate based on an assertion or a de-assertion of said control pin. One of ordinary skill in the art would have been motivated to make such a combination as it provides a way to determine a data transfer rate for correct operation [Kelly: col.12, ll.35-47].

40. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chief as applied to claim 15 above, and further in view of Kolbet.

41. Chief disclose each and every limitation of the claim as discussed above in reference to claim 15. Chief did not disclose explicitly that the rate discrimination subsystem employs a control signal associated with a USB signal for said determination of said data transfer rate [pg.13; D+, D- signal were not specifically described in detail].

42. Kolbet discloses a rate discrimination subsystem [part of logic block b1] employs a control signal [D+, D-] associated with a USB signal for said determination of said data transfer rate [col.4, ll.22-55].

43. It would have been obvious to one of ordinary skill in the art, having the teachings of Chief and Kolbet before him at the time the invention was made, to modify the performance indication system taught by Chief to include the teachings of Kolbet, in order to obtain the performance indication system wherein the rate discrimination subsystem employs a control signal associated with a USB signal for said determination of said data transfer rate. One of

Art Unit: 2116

ordinary skill in the art would have been motivated to make such a combination as it provides a way to determine a data transfer rate for correct operation [Kolbet: col.4, ll.22-55].

### *Response to Arguments*

44. Applicant argues that “a data transfer rate of subsequent USB standards may be determined by chirping or other methods readily available to one skilled in the art”. Examiner disagrees and submits that Applicant’s assertion is a speculation on future technology development that has no support [e.g., future USB may have chirping cloaked/modified for other purposes, resulting in using different methods of determining data transfer rate].

45. Applicant argues that the “specification does not limit the present invention to a USB 2.0 signal”. Consequently, Examiner was not able to locate the best USB version that should be disclosed as required by the best mode requirement. Examiner also maintains the position that omission of a particular USB version in the claim renders the claim indefinite as different USB versions inherently have different characteristics [e.g., system requirements, performance].

46. Applicant's arguments concerning the rejections under the references have been considered but are moot in view of the new ground(s) of rejection.

### *Conclusion*

47. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

Art Unit: 2116


will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tse Chen whose telephone number is (571) 272-3672. The examiner can normally be reached on Monday - Friday 9AM - 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rehana Perveen can be reached on (571) 272-3676. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Tse Chen  
November 16, 2006

  
REHANA PERVEEN  
SUPERVISORY PATENT EXAMINER  
11/20/06